

Document Log Item

Addressing	
From	To
Carmen Santos/R9/USEPA/US	"Conlan, Linda" <Linda.Conlan@amec.com> "Conlan, Linda" <Linda.Conlan@amec.com>
CC	BCC
Patrick Wilson/R9/USEPA/US@EPA	
Description Form Used: Reply	
Subject	Date/Time
RE: PCBs: Pechiney Site in Vernon, California - Requested Congener Data and Information	06/13/2011 04:13 PM
# of Attachments	Total Bytes
0	10,674
NPM	Contributor
Processing	
Comments	

Body

Document Body

Hello Linda:

I was in Washington DC all last week and I am back in the office this week. Patrick completed his review. I am refreshing my review and working on a draft approval this week.

Please call me if you have any questions concerning this message.

Sincerely,
Carmen

Carmen D. Santos
PCB Coordinator

RCRA Corrective Action Office (WST-5)
Waste Management Division
USEPA Region 9

415.972.3360
santos.carmen@epa.gov

-
*"Failure is simply the opportunity to begin again,
this time more intelligently." Henry Ford*

[This e-mail message, including any attachments, may contain non-public, privileged and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail message and its attachments is strictly prohibited by law.]

"Conlan, Linda" ---06/06/2011 02:46:41 PM---Good afternoon Carmen and Patrick, I'm just checking in to see if you all need any additional inform

From: "Conlan, Linda" <Linda.Conlan@amec.com>
To: Carmen Santos/R9/USEPA/US@EPA, Patrick Wilson/R9/USEPA/US@EPA
Date: 06/06/2011 02:46 PM
Subject: RE: PCBs: Pechiney Site in Vernon, California - Requested Congener Data and Information

Good afternoon Carmen and Patrick,

I'm just checking in to see if you all need any additional information related to the PCB congener data and grading plan submittals and to get an update on the status of EPA's approval of the proposed PCB remediation goals.

Thank you,
Linda Conlan, PG
Principal Geologist
AMEC Geomatrix, Inc.

From: Conlan, Linda

Sent: Thursday, May 19, 2011 11:27 AM

To: 'Santos.Carmen@epamail.epa.gov'; Wilson.Patrick@epamail.epa.gov

Cc: Bernhardt, Todd

Subject: PCBs: Pechiney Site in Vernon, California - Requested Congener Data and Information

Carmen and Patrick,

As a follow-up to recent conference call regarding the PCB congener evaluation and the grading plan for the Pechiney site, please find attached the following requested information:

☐☐ Regression Figures 3, 4, and 5 from "Attachment 1 – Impact of Additional Soil and Concrete Characterization on Risk-Based Remediation Goals" with the correlation coefficient and line equation posted on each figure (*Figures 3 through 5 – Dioxin TEQ vs Total Aroclors_051311.pdf*).

☐☐ A site map depicting the rail tracks proposed for removal during the below grade demolition work and those that will remain in place. The rail lines that will remain in place are owned by the rail company Union Pacific (*Figure 1 Site Plan_050511.pdf*).

Also, as requested during the call, a CD containing the SGS Environmental congener analytical data packages (EPA Method 1668B) and the data validation memos will follow later this week by overnight mail. And, lastly, a version of the draft grading plan (Figure G-9) updated with the PCB sample elevations for soil that will remain in place will also following later this week.

Please let me know if you need any additional information.

Regards,
Linda Conlan, PG
Principal Geologist
AMEC Geomatrix, Inc.

510 Superior Avenue, Suite 200
Newport Beach, CA 92663

Main: 949.642.0245 | **Direct:** 949.574.7083 | **Cell:** 949.355.3631 | **Fax:** 949.642.4474

E-mail: linda.conlan@amec.com

NOTICE: The information contained in (and attached to) this e-mail is intended only for the personal and confidential use of the designated recipient(s) named above. This message may be a consultant/client, attorney/client or attorney work product communication and as such is privileged and confidential. If the reader of this message is not the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution or copying of this message is strictly prohibited. If you received this communication in error, please notify us immediately by reply e-mail, and delete the original message (including attachments).

The information contained in this e-mail is intended only for the individual or entity to whom it is addressed.

Its contents (including any attachments) may contain confidential and/or privileged information.

If you are not an intended recipient you must not use, disclose, disseminate, copy or print its contents.

If you receive this e-mail in error, please notify the sender by reply e-mail and delete and destroy the message.